

PEAK ID POUCH LAMINATING SYSTEMS

Peak PP-110A ID is a robust little pouch laminator designed to quickly laminate ID pouches with minimal fuss and superb results.



| | | | IRES | |
|-----|-----|---|------|--|
| – Y | EE/ | 4 | IKES | |
| | / | | | |
| | | | | |

- Laminates ID pouches up to 360 micron
- Variable temperature control
- Anti-jam reverse mode
- Robust all metal construction
- Power and ready light indicator
- Up to 450mm a minute

GREAT FOR USE IN

- Schools
- Colleges
- Businesses
- Fitness Centres

| Specifications | PP-110A | |
|-------------------------------|-------------|--|
| Laminating Speed (mm/min) | 450 | |
| Laminating Width (mm) | 110 | |
| Laminating Thickness (micron) | 360 | |
| Laminating Temperature (°C) | 100-160 | |
| Overall Dimensions (mm) | 230x160x100 | |
| Gross Machine Weight (Kg) | 3 | |
| Warranty* | 1 year | |

Features:

- Laminates ID pouches up to 360 micron
- Variable temperature control
- Anti-jam reverse mode
- Robust all metal construction
- Power and ready light indicator
- No carrier required



You Tube

vividlaminating

ovividlaminatin

*For full terms & conditions on parts and labour warranty, visit vivid-online.com/support/warranty_information

Vivid Laminating Technologies Ltd

St Georges House, Whitwick Road, Coalville, Leicestershire LE67 3FA England

/vividlaminating

0845 1 30 40 50 sales@vivid-online.com

Vivid care about the environment and is an ISO 14001 registered company.

vivid-online.com

vivid.

PEAK **POUCH LAMINATING SYSTEMS**

Peak Lite pouch laminators are stylish, compact & lightweight.



Design & Performance

The Peak® Lite Pouch Laminator's are portable & stylish and are ideal for use at home or in the office. Make documents water & dirt proof in seconds,

safeguarding them from damage.

They also benefit from an easy-to-use control panel. Temperature and speed controls are replaced by one simple button to select the micron of the pouch.

Features

Portable & incredibly light

- Energy saving sleep mode
- Easy-to-use control panel
 - Laminates 150, 200 & 250 micron pouches
- Anti-jam reverse
- Top loading operation

| Specifications | PL-220 (A4) | PL-320 (A3) | |
|---------------------------|---------------|---------------|--|
| Laminating Speed (mm/min) | 300 | 300 | |
| Max. Paper Size | A4 | A3 | |
| Max. Pouch Micron | 250 | 250 | |
| Number of Rollers | 2 | 2 | |
| Warm-up Time (mins) | 5 | 5 | |
| Display | LED | LED | |
| Power Supply AC (V–Hz) | 220-240/50-60 | 220-240/50-60 | |
| Power Consumption (W) | 300 | 450 | |
| Overall Dimensions (mm) | 377x145x89 | 476x150x89 | |
| Gross Machine Weight (Kg) | 1.7 | 3.1 | |
| Warranty* | 1 year | 1 year | |



Easy-to-use control panel

KEY FEATURES

- Compact & lightweight
- 300mm per minute
- Laminates from ID up to A3
- Up to 250 (125+125) micron pouches
- Easy-to-use control panel
- Auto shut-off

GREAT FOR USE IN

- Home office
- Offices
- Reprographics
- Copyshops
- **Schools**
- Colleges

IDEAL WHEN LAMINATING

- Posters
- Certificates
- Letters
- Legal documents

Sales literature

and many more...



You Tube

vividlaminating

St Georges House, Whitwick Road, Coalville, Leicestershire LE67 3FA England

0845 1 30 40 50

Vivid Laminating Technologies Ltd

sales@vivid-online.com

*For full terms & conditions on parts and labour warranty, visit vivid-online.com/support/warranty_information

Vivid care about the environment and is an ISO 14001 registered company.

vivid-online.com

vivid.

PEAK **INSTANT POUCH LAMINATING SYSTEM**

Features

One minute warm-up time

Energy saving sleep mode

Easy-to-use control panel

Top loading operation

Anti-jam reverse

Laminates 150, 200 & 250 micron pouches

Peak Instant pouch laminator is ready to use in just 60 seconds.

KEY FEATURES

- Fast warm-up
- 500mm per minute
- Laminates up to A3
- Up to 250 (125+125) micron pouches
- Easy-to-use control panel
- Auto shut-off

GREAT FOR USE IN

- Home office
- Offices
- Reprographics
- Copyshops
- **Schools**
- Colleges

IDEAL WHEN LAMINATING

- Posters
- Certificates
- Letters
- Legal documents
- Sales literature

and many more...



vividlaminating



Vivid Laminating Technologies Ltd St Georges House, Whitwick Road, Coalville, Leicestershire LE67 3FA England instont

Design & Performance

PI-320 A3

The Peak® PI-320 Pouch Laminator has one of the fastest warm-up times on the marketplace, meaning it can laminate 8 A4 sheets before other systems have even warmed up.

It also benefits from an easy-to-use control panel. Temperature and speed controls are replaced by one simple button to select the micron of the pouch.

| Specifications | PI-320 | |
|---------------------------|----------------|--|
| Laminating Speed (mm/min) | 500 | |
| Max. Paper Size | A3 | |
| Max. Pouch Micron | 250 | |
| Number of Rollers | 4 | |
| Warm-up Time (mins) | 1 | |
| Display | LED | |
| Power Supply AC (V–Hz) | 220-240/50-60 | |
| Power Consumption (W) | 1350 | |
| Overall Dimensions (mm) | 476 x 150 x 89 | |
| Gross Machine Weight (Kg) | 3.2 | |
| Warranty* | 1 year | |
| | | |



Easy-to-use control panel

*For full terms & conditions on parts and labour warranty, visit vivid-online.com/support/warranty_information

0845 1 30 40 50 sales@vivid-online.com vivid-online.com Vivid care about the environment and is an ISO 14001 registered company.





PROFESSIONAL DESKTOP POUCH LAMINATING SYSTEMS

Peak Professional is a reliable, functional & stylish range of laminators, capable of producing high quality results.



Design & Performance

A quick, reliable laminator for consistent, high quality lamination of larger documents such as posters. Provides effortless lamination from ID size up to A2. Suitable for a multitude of document types for everyday use.

Available in A4, A3 and A2 models.

Features

- Stylish, innovative design
- Ideal for frequent, everyday use
- Variable temperature control
- Anti-jam reverse mode
- Laminates from ID up to A2 size
- Suitable for pouches up to 360 micron

| Specifications | PP-260 (A4) | PP-330 (A3) | PP-450 (A2) |
|-------------------------------|-----------------|-----------------|-----------------|
| Laminating Speed (mm/min) | 560 | 560 | 690 |
| Max. Width (mm) | 260 | 320 | 450 |
| Laminating Thickness (micron) | 360 | 360 | 360 |
| Warm-up Time (mins) | 5 | 5 | 5 |
| Laminating Temperature (°C) | 100-160 | 100-160 | 100-160 |
| Power Supply AC (V–Hz) | 220–240 (50-60) | 220-240 (50-60) | 220-240 (50-60) |
| Power Consumption (W) | 360 | 450 | 650 |
| Overall Dimensions (mm) | 440x200x110 | 500x200x110 | 630x200x110 |
| Gross Machine Weight (Kg) | 7 | 8 | 10 |
| Warranty* | 2 years | 2 years | 2 years |
| Number of rollers | 4 | 4 | 4 |

*For full terms & conditions on parts and labour warranty, visit vivid-online.com/support/warranty_information

Vivid Laminating Technologies Ltd

St Georges House, Whitwick Road, Coalville, Leicestershire LE67 3FA England

vivid-online.com

- Up to 690mm a minute
- Variable temperature control
- Anti-jam reverse mode
- Pouches up to 360 micron
- Internal cooling fan
- **Ready light indicator**

GREAT FOR USE IN

- Offices
- Local government
- Education schools, colleges and universities

IDEAL WHEN LAMINATING

- ID and business cards
- Signs & notices
- Glossy photographs
- Posters
- Certificates

and many more...



You Tube



vividlaminating

0845 1 30 40 50

sales@vivid-online.com

vivid.

PEAK DESKTOP POUCH LAMINATING SYSTEMS

Peak Educator is reliable, efficient and provides versatile lamination for a multitude of documents.



Design & Performance

A versatile, reliable laminator for consistent high quality lamination. Jam-free laminating for all types of documents including cut-up pieces.

Provides effortless lamination from ID size up to A2.

Suitable for a multitude of document types from newspaper to thin card. Designed for frequent, everyday use. Available in A3 and A2 models.

Features

- Laminates from ID up to A2
- Hot roller technology
- Variable temperature control
- Laminates both hot and cold
- Anti-jam reverse mode
- Bubble free photo lamination
- Always use a card carrier or Lifejacket[®]

| Specifications | PE-332 (A3) | PE-452 (A2) | |
|-------------------------------|-----------------|-----------------|--|
| Laminating Speed (mm/min) | 560 | 690 | |
| Max. Width (mm) | 320 | 450 | |
| Laminating Thickness (micron) | 360 | 360 | |
| Warm up time (mins) | 5 | 5 | |
| Laminating Temperature (°C) | 100-160 | 100-160 | |
| Power Supply AC (V–Hz) | 220/240 (50-60) | 220/240 (50-60) | |
| Power Consumption (W) | 700 | 940 | |
| Overall Dimensions (mm) | 500x200x110 | 630x200x110 | |
| Gross Machine Weight (Kg) | 8 | 10 | |
| Warranty* | 2 years | 2 years | |
| Number of rollers | 4 | 4 | |

*For full terms & conditions on parts and labour warranty, visit vivid-online.com/support/warranty_information

Vivid Laminating Technologies Ltd

St Georges House, Whitwick Road, Coalville, Leicestershire LE67 3FA England

FA England Vivid-online.com

KEY FEATURES

- Up to 690mm a minute
- Variable temperature control
- Anti-jam reverse mode
- Pouches up to 360 micron
- Internal cooling fan
- Ready light indicators

GREAT FOR USE IN

- Education- schools, colleges, nurseries
- University print rooms

IDEAL WHEN LAMINATING

- Name cards
- Artwork
- Cut up shapes and letters
- Newspaper cuttings
- Photos & prints

and many more ...



vividlaminating

@vividiaminating



08451304050 sales@v

50 sales@vivid-online.com



PEAK **HIGH SPEED POUCH LAMINATING SYSTEMS**

Peak High Speed pouch laminators feature six rollers for faster lamination.



CLEARVIEW[™] see the difference (patent pending)

KEY FEATURES

- Up to 2000mm per minute
- Laminates up to A3/A2
- Up to 500 micron pouches
- Easy to use control panel
- ClearView[™] panel
- Auto shut-off

GREAT FOR USE IN

- In-plant print departments
- Commercial printers
- Instant printers
- Reprographics
- Copyshops
- Schools
- Colleges

IDEAL WHEN LAMINATING

- Posters
- Certificates
- Letters
- Legal documents
- Sales Literature

and many more...



The Peak® PHS-330 & PHS-450 Pouch Laminators feature a 6 roller design with memory function. They also benefit from our patented user-friendly control panel and a ClearView[™] top panel, allowing you to view the work whilst it laminates.

PHS-450 A2

Ideal for high volume use, the PHS is the unrivalled choice for a busy copyshop or your print department.

Features

PHS-450

- ClearView[™] design with hot roller technology
- Energy saving sleep mode
- Six rollers for faster lamination
- Intuitive control panel for ease of use
- Variable temperature controls
- 9 speed operation
- Anti-jam reverse
- LED indicator shows when ready
- Memory function

| Laminating Speed (mm/min) | 2000 | 2000 | |
|-----------------------------|-----------------|-----------------|--|
| Max. Paper Size | A3 | A2 | |
| Max. Pouch Micron | 500 | 500 | |
| Number of Rollers | 6 | 6 | |
| Warm-up Time (mins) | 5 | 5 | |
| Laminating Temperature (°C) | 0-160 | 0-160 | |
| Display | Digital | Digital | |
| Power Supply AC (V–Hz) | 220/240-50-60 | 220/240-50-60 | |
| Power Consumption (W) | 1150 | 1550 | |
| Overall Dimensions (mm) | 550 x 310 x 150 | 700 x 310 x 150 | |
| Gross Machine Weight (Kg) | 14 | 18 | |
| Warranty* | 1 year | 1 year | |
| | | | |

PHS-330



Intuitive control panel for ease of use

vividlaminating



You Tube

Vivid Laminating Technologies Ltd St Georges House, Whitwick Road, Coalville, Leicestershire LE67 3FA England

08451304050

Vivid Laminating Technologies Ltd

sales@vivid-online.com

*For full terms & conditions on parts and labour warranty, visit vivid-online.com/support/warranty_information



Specifications



PEAK **COMMERCIAL POUCH LAMINATING SYSTEM**

Peak Performance PS-700 A1 Pouch Laminator is ideal for high volume use and the perfect choice for a busy copyshop or print department.



GREAT FOR USE IN

- In-plant print departments
- Commercial printers
- Instant printers

KEY FEATURES

350 micron**

- Reprographics
- Copyshops

IDEAL WHEN LAMINATING

- Banners
- Posters
- Menus
- Photos

and many more...



have your documents laminated in no time with it's variable speed and temperature controls

Designed with the rigours of continuous daily use in mind, this system provides effortless lamination from ID to A1, quickly, without affecting quality. Also available in A3 and A2.

Specifications

- Laminates from ID up to A1
- Variable speed & temperature controls
- Anti-jam reverse mode
- Suitable for pouches up to 350** micron
- Laminates both hot and cold
- Suitable for hot foiling
- No carrier required

PS-700 (A1)

| specifications | 15700(71) | | |
|-------------------------------|---------------|--|--|
| Laminating Speed (mm/min) | 550-2700 | | |
| Max. Width (mm) | 700 | | |
| Laminating Thickness (micron) | 350** | | |
| Warm-up Time (mins) | 10 | | |
| Laminating Temperature (°C) | 0-140 | | |
| Power Supply AC (V–Hz) | 220/240-50-60 | | |
| Power Consumption (W) | 2100 | | |
| Overall Dimensions (mm) | 953x303x160 | | |
| Gross Machine Weight (Kg) | 50 | | |
| Warranty* | 1 year | | |
| Number of rollers | 4 | | |
| | | | |

**A1 max. 250 micron

*For full terms & conditions on parts and labour warranty, visit vivid-online.com/support/warranty_information

Vivid Laminating Technologies Ltd

St Georges House, Whitwick Road, Coalville, Leicestershire LE67 3FA England

08451304050

sales@vivid-online.com

vivid-online.com



Tube

vividlaminating

